bioethanol -fireplace.co.uk

FOCO FOUR 1200

BIO-30-118

Foco Four 1200 is an elegant 4-sided bioethanol fireplace designed for built-in installation, offering a view of the flames from all sides. This fireplace is perfect for creating a central visual feature in the room, especially under a plateau or floating wall where a TV can be mounted. Choose a manual or automatic bioethanol burner, offering adjustable flame levels and remote control. Made from 4 mm powder-coated stainless steel with tempered glass, Foco Four ensures a stable and safe flame experience.

TECHNICAL SPECIFICATIONS

Burner - Features

| Minimum room size | 90 m³ |
|--------------------|------------------|
| Adjustable flame | Yes |
| Control | Remote Control |
| Control | Automatic |
| Control | Manual |
| Burner Model | 5 Litre Superior |
| Flame length | 85 cm |
| Remote control | Yes (add-on) |
| Burning time up to | 6 hours |
| Power Requirements | No |
| Power Requirements | Yes |
| Heat output (max) | 6,2 kW |
| Consumption | 0.87 L/h |



Size

| Length/Width | 120 cm |
|--------------|--------|
| Depth | 40 cm |
| Weight | 35 kg |

Appearance


| Material | Steel |
|-----------------|-------|
| Steel Thickness | 4 mm |
| Colour | Black |
| Glas included | Yes |

Туре


| Product type | 4-sided built-in bioethanol fireplace |
|-----------------------------|--|
| Fuel | Bioethanol |
| Brand | Foco |
| Flue/Chimney | Not Required |
| Use | Indoor |
| Flame view | 44,1 |
| Warranty | 2 years |
| Recommended air change rate | 1 |




FLA 3+ 990 mm




FLA 3 990 mm



PrimeFire 1000



Automatic burner



Superior Manual

