

# **FOCO MYST TWO 1200**

HYB-30-106

# **TECHNICAL SPECIFICATIONS**

| Features         |                |
|------------------|----------------|
| Adjustable flame | Yes            |
| Control          | Remote Control |
| Remote control   | Yes (included) |
| Thermostat       | No             |

# **Key Specifications**

| Product type | See-through Built-in Opti-myst<br>Fireplace |
|--------------|---|
| Brand        | Foco  |
| Use          | Indoor                                      |
| Warranty     | 2 years                                     |

### Size & Weight

| Length/Width | 120 cm |
|--------------|--------|
| Height       | 50 cm  |
| Depth        | 40 cm  |
| Weight       | 35 kg  |
| Cable lenght | 150 cm |

#### **Technical Specifications**

| <u> </u>           |                                |
|--------------------|--------------------------------|
| Fuel               | Water and Electricity          |
| Burner Model       | Dimplex Optimyst Cassette 1000 |
| Burning time up to | 10 hours                       |
| Capacity           | 4.0 Litres                     |
| Flame colours      | 1 colours                      |
| Heat output (max)  | No heat kW                     |
| Consumption        | 440 L/h                        |

## Material & Appearance

| <u> </u>                   |                   |
|----------------------------|-------------------|
| Material                   | Steel             |
| Colour                     | Black             |
| Finish                     | Matte             |
| Interior (colour/material) | Black             |
| Decoration                 | Wood (Additional) |
| Glas included              | Yes               |
| Glass Height               | 15 cm             |


## **Installation Details**


| Required ventilation opening | 420          |
|------------------------------|--------------|
| Flue/Chimney                 | Not Required |






## CASSETTE 100 AUTOMATIC







# CASSETTE 1000 MANUAL

