

## TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

### TECHNICAL SPECIFICATIONS

#### Appearance

Colour	Steel
Glas included	Yes
Materials	Steel

#### Burner

Adjustable	Yes
Burn time	3 hours
Burner type	3 Litre Slimline
Capacity	1.5 Litres
Control	Manual

#### Burner

Distance to Combustible Materials	50 cm
-----------------------------------	-------

#### Burner

Flame length	40 cm
Flue/chimney	Not required
Fuel	Bioethanol
Heat output (max)	3 kW
Minimum room size	60 m <sup>3</sup>
Remote control	No
Requires electricity	No
Usage	0.5 L/h

#### Size

Depth	12,1 cm
Height	45 cm
Length/Width	90 cm

#### Type

Bioethanol Burner
Bracket
Extinguishing Tool



Glass

Screws

User guide

Brand

ScandiFlames

Producttype

Wall-mounted Bioethanol  
Fireplace

Use

Indoor

Warranty

2 years

