

TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

TECHNICAL SPECIFICATIONS

Burner

Adjustable flame	Yes
Control	Manual
Capacity	1.5 Litres
Burner type	3 Litre Slimline
Flame length	40 cm
Minimum room size	60 m ³
Burn time	3 hours
Heat output (max)	3 kW
Flue/chimney	Not Required
Distance to Combustible Materials	50 cm
Remote control	No
Requires electricity	No
Fuel	Bioethanol
Usage	0.5 L/h

Type

	Extinguishing Tool
	Bioethanol Burner
	User guide
	Bracket
	Screws
	Glass
Producttype	Wall-mounted Bioethanol Fireplace
Brand	ScandiFlames
Use	Indoor
Warranty	2 years

Appearance

Materials	Steel
Colour	Steel
Glas included	Yes

Size

Length/Width	90 cm
Height	45 cm



Depth

12,1 cm

